

LET ECSTASY REVOLVE
around your space



There are times when change
happens in a blink of an eye



|
Our
PRODUCTS
|

After years of research and keen analysis, has cracked the code to create a unique range of finishes. This watchful eye on the evolution of Vogue trends allows us to create materials that are highly unique and advanced.

FEATURES

-  High Durable
-  Acid Resistance
-  Stain Resistance
-  Easy to Clean
-  Maintenance Free
-  Dimensional Stability
-  Slip Resistance
-  Eco Friendly

A large-scale image of a marbled tile pattern, featuring a light beige background with intricate, flowing veins of grey and brown. The pattern is split vertically by a dark, textured vertical band.

Welcome the latest avatar
of opulence

A diagram showing a large rectangular tile with dimensions 1200x2400mm. The tile is positioned above a jagged, black line that represents a decorative, stepped edge or a specific tile pattern. The tile is outlined in black and contains the text '1200x 2400mm' in a bold, sans-serif font.

1200x
2400mm

Explore the unexpected
beauty with tiles

we have premium collection of 1200 x 2400mm tiles that are incredibly designed to reflect your opulent lifestyle. Get this unexpected beauty to your corporate or residential place and bring splendour to your home.

HIGH GLOSSY

HIGH GLOSSY



Welcome the latest avatar
of opulence



SPLENDOUR

The real beauty of tiles lies with a glamorous finish. We know it defines your lifestyle and therefore we immensely focus on décor aesthetics to add a timeless impression to your place. Come on let's dive deep into the saga of perfection.



HIGH GLOSSY

ARENA DUNE



1200X2400mm

Bookmatch

✂ 9mm Thickness



HIGH GLOSSY

BETHANY BLUE



1200X2400mm

Bookmatch

✂ 9mm Thickness



Special Series



HIGH GLOSSY

BRECCIA MONET #

1200X2400mm

Bookmatch

✂ 9mm Thickness



HIGH GLOSSY

CHIFFON BEIGE #

1200X2400mm

Bookmatch

✂ 9mm Thickness



HIGH GLOSSY

BROCKEN BRECCIA #

1200X2400mm

Bookmatch

✂ 9mm Thickness




HIGH GLOSSY

COVELANO LASCA #

1200X2400mm

Bookmatch

✂ 9mm Thickness





HIGH GLOSSY

ELITE BLACK #

1200X2400mm

Bookmatch

✂ 9mm Thickness



HIGH GLOSSY


GLORIOUS WHITE #

1200X2400mm


Bookmatch

Also Available in
1200x1200mm

✂ 9mm Thickness



Special Series



HIGH GLOSSY

GALAXY STUTUARIO #

1200X2400mm

Bookmatch

✂ 9mm Thickness




HIGH GLOSSY

GRONZA WHITE #

1200X2400mm

Bookmatch

✂ 9mm Thickness



Special Series

Inspire and transform every day

-  Resistant to UV
-  Low Water Absorption
-  Resistant to Chemical
-  Resistant to Impact Force
-  Resistant to Scratch
-  High Physical Strength
-  Resistant To Heat



GALAXY STUTUARIO
1200x2400mm



HIGH GLOSSY

ALEX CALACATTA

1200X2400mm

3 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

ARISTONE CEROBÉ

1200X2400mm

2 Random

Also Available in
800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

ARENA DUNE *

1200X2400mm

2 Random

✂ 9mm Thickness



HIGH GLOSSY


AZUL CIELO *

1200X2400mm

3 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



* Dark High Glossy Series

* Dark High Glossy Series



HIGH GLOSSY

ARMANI BEIGE

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY


ARMANI GREY

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

ARMANI GOLD *

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

ARMANI GRISS *

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



* Dark High Glossy Series

* Dark High Glossy Series



HIGH GLOSSY

ATLANTIC WHITE #



1200X2400mm

Continue

2 Face

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY


BETEL WHITE

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



Special Series



HIGH GLOSSY

ALONZO BLUE #


1200X2400mm

Bookmatch

4 Random

✂ 9mm Thickness

Give structure to your
decor aesthetics



Special Series



ALONZO BLUE
1200x2400mm



HIGH GLOSSY

BRECCIA BEIGE

1200X2400mm

3 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

BIANCO LASA

1200X2400mm

2 Random

Also Available in
800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

BRECCIA LAVA *

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY


BLACK RIVER *

1200X2400mm

4 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



* Dark High Glossy Series

* Dark High Glossy Series



HIGH GLOSSY

BERLÍM BEIGE

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

COVELANO LASA

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

EXOTIC WHITE *

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

CRISTAN STONE *

1200X2400mm

2 Random

✂ 9mm Thickness



* Dark High Glossy Series




HIGH GLOSSY

M-1001 #

DECOR SERIES

1200X2400mm

✂ 9mm Thickness



HIGH GLOSSY

EMBER WHITE #

1200X2400mm

Continue

3 Face

✂ 9mm Thickness



Special Series



HIGH GLOSSY

DEVCI GREY *

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

DEVCI CREMA

1200X2400mm

2 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



* Dark High Glossy Series

Absorb excellent vibes
around yourself.

-  Resistant to UV
-  Low Water Absorption
-  Resistant to Chemical
-  Resistant to Impact Force
-  Resistant to Scratch
-  High Physical Strength
-  Resistant To Heat



DEVCI GREY
1200x2400mm



HIGH GLOSSY

DYNA SUPREME

1200X2400mm

2 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

ELIZA BEIGE

1200X2400mm

2 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

FOREST BROWN *

1200X2400mm

1 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

IMPACT SATVARIO #

1200X2400mm


Continue

3 Face

Also Available in
800x1600mm | 1200x1200mm (R)

✂ 9mm Thickness





HIGH GLOSSY

HOIST WHITE #

1200X2400mm

Continue

3 Face

✂ 9mm Thickness



HIGH GLOSSY

GLORIOUS WHITE #


1200X2400mm

Continue

3 Face

Also Available in
1200x1200mm (R)

✂ 9mm Thickness



Special Series



HIGH GLOSSY

LAVANET BEIGE

1200X2400mm

3 Random

✂ 9mm Thickness



HIGH GLOSSY

ICE BERG BLUE *

1200X2400mm

3 Random


✂ 9mm Thickness



* Dark High Glossy Series

Express your inclination for a perky living.

-  Resistant to UV
-  Low Water Absorption
-  Resistant to Chemical
-  Resistant to Impact Force
-  Resistant to Scratch
-  High Physical Strength
-  Resistant To Heat



ICE BERG BLUE
1200x2400mm



HIGH GLOSSY

PACIFIC WHITE #

1200X2400mm

Continue

4 Face

✂ 9mm Thickness



HIGH GLOSSY

ONYX LUXURY

1200X2400mm

3 Random

✂ 9mm Thickness



Special Series




HIGH GLOSSY

PORTORO *

1200X2400mm

2 Random

✂ 9mm Thickness



HIGH GLOSSY

PORTORO GOLD *

1200X2400mm

2 Random

Also Available in
800x1600mm

✂ 9mm Thickness



* Dark High Glossy Series



HIGH GLOSSY

RAINBOW BROWN *

1200X2400mm

2 Random

✂ 9mm Thickness



HIGH GLOSSY

PATAGONIA

1200X2400mm

3 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

REGAL BEIGE

1200X2400mm

3 Random

✂ 9mm Thickness



HIGH GLOSSY

REGAL NATURAL

1200X2400mm

3 Random

Also Available in
800x1600mm

✂ 9mm Thickness



* Dark High Glossy Series



HIGH GLOSSY

SEMOND PAUL *

1200X2400mm

2 Random

✂ 9mm Thickness



HIGH GLOSSY

LEVANTO BROWN *

1200X2400mm

4 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



* Dark High Glossy Series



HIGH GLOSSY

LEVANTO LIGHT

1200X2400mm

4 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

LEVANTO NATURAL *

1200X2400mm

4 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



* Dark High Glossy Series

Witness sparkle coming
to your life

-  Resistant to UV
-  Low Water Absorption
-  Resistant to Chemical
-  Resistant to Impact Force
-  Resistant to Scratch
-  High Physical Strength
-  Resistant To Heat



LEVENATO NATURAL
1200x2400mm



HIGH GLOSSY


NERO MARQUINA *

1200X2400mm

3 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY


TRIESTA NOIR *

1200X2400mm

3 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY



SAHARA BLACK *

1200X2400mm

2 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

TOPAZ BROWN *

1200X2400mm

✂ 9mm Thickness



HIGH GLOSSY

STATUARIO RIO

1200X2400mm

3 Random

✂ 9mm Thickness



HIGH GLOSSY

STATUARIO NATURAL

1200X2400mm

3 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

STATUARIO AFYON #

1200X2400mm

Continue

3 Face

✂ 9mm Thickness



HIGH GLOSSY

STATUARIO BELGIA #

1200X2400mm

Continue

3 Face

✂ 9mm Thickness





HIGH GLOSSY

SCARLET WHITE #

1200X2400mm

Continue

4 Face

✂ 9mm Thickness



HIGH GLOSSY


SUMMER WHITE #

1200X2400mm

4 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY


STATARIO GOLD

1200X2400mm

Bookmatch

3 Random

✂ 9mm Thickness



1200X2400mm

Bookmatch

✂ 9mm Thickness



Flaunt your abode with a prime attitude

-  Resistant to UV
-  Low Water Absorption
-  Resistant to Chemical
-  Resistant to Impact Force
-  Resistant to Scratch
-  High Physical Strength
-  Resistant To Heat



SUMMER WHITE
1200x2400mm



HIGH GLOSSY

SONATA BRONZE *

1200X2400mm

3 Random

Also Available in
800x1600mm

✂ 9mm Thickness



* Dark High Glossy Series



HIGH GLOSSY

TITANIUM NATURAL *

1200X2400mm

3 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



* Dark High Glossy Series



HIGH GLOSSY

SONATA WHITE

1200X2400mm

3 Random

Also Available in
800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

TITANIUM BROWN *

1200X2400mm

3 Random

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness





HIGH GLOSSY

TRAVENTINO BEIGE

1200X2400mm

✂ 9mm Thickness



HIGH GLOSSY

TRAVENTINO CREMA

1200X2400mm

2 Random

✂ 9mm Thickness



HIGH GLOSSY

TURKE LANA *

1200X2400mm

Also Available in
800x1600mm | 1200x1200mm

✂ 9mm Thickness



HIGH GLOSSY

VICTORIA BEIGE

1200X2400mm

4 Random

Also Available in
800x1600mm

✂ 9mm Thickness



* Dark High Glossy Series



HIGH GLOSSY

WILLIAM BIANCO

1200X2400mm

2 Random

Also Available in
800x1600mm

✂ 9mm Thickness



HIGH GLOSSY

WHITE PASANTO #

1200X2400mm

Continue

3 Face

✂ 9mm Thickness



Special Series



HIGH GLOSSY

ZED ONYX ICE

1200X2400mm

4 Random

✂ 9mm Thickness



HIGH GLOSSY

ZED ONYX CLASSIC

1200X2400mm

4 Random

✂ 9mm Thickness



Compel every eye to perceive
your ambience



Resistant to UV



Low Water Absorption



Resistant to Chemical



Resistant to Impact Force



Resistant to Scratch



High Physical Strength



Resistant To Heat



ZED ONYX ICE | ZED ONYX CLASSIC
1200x2400mm

MATT



The Sheer Exhilaration



With the sheer exhilaration of design, it revamps the overall look of your place – Commercial or Residential. Levitate the grace of finish and magnet the eyes of onlookers. So, let's make your space emit style with the unique set of designs, incomparable finish and vibrant sizes.



MATT

CAPRON CREMA

1200X2400mm

3 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



MATT

CAPRON GREY

1200X2400mm

3 Random

Also Available in
1200x1200mm

✂ 9mm Thickness





MATT

CORTEX AZURE

1200X2400mm

2 Random

✂ 9mm Thickness



MATT

CORTEX CEDAR

1200X2400mm

2 Random

✂ 9mm Thickness



MATT

DUST

1200X2400mm

4 Random

✂ 9mm Thickness



MATT

ELEGANT CREMA

1200X2400mm

✂ 9mm Thickness



MATT

ELIZA BEIGE

1200X2400mm

3 Random

✂ 9mm Thickness



MATT

MEXXO LIGHT

1200X2400mm

4 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



MATT

MEXXO OLIVE

1200X2400mm

4 Random

✂ 9mm Thickness



MATT

MEXXO SIENNA

1200X2400mm

4 Random

Also Available in
1200x1200mm

✂ 9mm Thickness





MATT

MANDANA BROWN

1200X2400mm

✂ 9mm Thickness



MATT

MANDANA CREAM

1200X2400mm

✂ 9mm Thickness



MATT

MILANO GREY

1200X2400mm

3 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



MATT

MILANO SILVER

1200X2400mm

3 Random


Also Available in
1200x1200mm

✂ 9mm Thickness



Define yourself with confidence

-  Resistant to UV
-  Low Water Absorption
-  Resistant to Chemical
-  Resistant to Impact Force
-  Resistant to Scratch
-  High Physical Strength
-  Resistant To Heat



MANDANA CREAM
1200x2400mm




MATT

ORION CREMA

1200X2400mm

4 Random

✂ 9mm Thickness



MATT

ORION WHITE

1200X2400mm

4 Random

✂ 9mm Thickness



MATT

LAVANET BEIGE

1200X2400mm

3 Random

✂ 9mm Thickness



MATT


REGAL NATURAL

1200X2400mm

3 Random

✂ 9mm Thickness





MATT

RIZ SILVER

1200X2400mm

2 Random

✂ 9mm Thickness



MATT

RIZ CEDAR

1200X2400mm

2 Random

✂ 9mm Thickness



MATT

SANDUNE CAFÉ

1200X2400mm

Also Available in
1200x1200mm

✂ 9mm Thickness



MATT

SENTILIA BROWN

1200X2400mm

Also Available in
1200x1200mm

✂ 9mm Thickness



MATT

TUNA ROCK GREY

1200X2400mm

2 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



MATT

TUNA ROCK ICE

1200X2400mm

2 Random

Also Available in
1200x1200mm

✂ 9mm Thickness



MATT

VICTORIA BEIGE

1200X2400mm

4 Random

✂ 9mm Thickness



MATT

SUMMER WHITE

1200X2400mm


4 Random

✂ 9mm Thickness



Live where your mind stays still

-  Resistant to UV
-  Low Water Absorption
-  Resistant to Chemical
-  Resistant to Impact Force
-  Resistant to Scratch
-  High Physical Strength
-  Resistant To Heat



TUNA ROCK GREY
1200x2400mm



MATT

LENOX WOOD #

1200X2400mm

2 Random

✂ 9mm Thickness



MATT

MULBERRY WOOD DECOR #

1200X2400mm

✂ 9mm Thickness

Special Series



MATT

MEPAL WOOD BROWN #

1200X2400mm

5 Random

✂ 9mm Thickness



MATT

MEPAL WOOD #

1200X2400mm

5 Random

✂ 9mm Thickness



Special Series



MATT


ROOST WOOD

#

1200X2400mm

✂ 9mm Thickness

Special Series



ROOST WOOD
1200x2400mm

CARVING

•••
Mastering with
everlasting grace

Perfection is our passion and habit. we are mastering the art to build a captivating comfort zone to your place. It will definitely stun the onlookers with the amplified tile finish. Contact us to fall in love with the latest tile trends.



CARVING

LURENT BLUE

1200X2400mm

5 Random

✂ 9mm Thickness



CARVING

LURENT BROWN

1200X2400mm

5 Random

✂ 9mm Thickness





CARVING

BURBERRY BEIGE

1200X2400mm

2 Random

✂ 9mm Thickness



CARVING

BURBERRY GREY

1200X2400mm

2 Random

✂ 9mm Thickness



CARVING

BURBERRY BROWN

1200X2400mm

2 Random

✂ 9mm Thickness



CARVING

CORTEN BEIGE

1200X2400mm

2 Random

✂ 9mm Thickness





CARVING


RUBY QUARTZ ASH

1200X2400mm

4 Random

Also Available in
1200x1200mm

✂ 9mm Thickness




CARVING

RUBY QUARTZ SEAL

1200X2400mm

4 Random



CARVING

STUCCO BEIGE

1200X2400mm


✂ 9mm Thickness




STUCCO BEIGE
1200x2400mm

Dive deep inside the heart of art

-  Resistant to UV
-  Low Water Absorption
-  Resistant to Chemical
-  Resistant to Impact Force
-  Resistant to Scratch
-  High Physical Strength
-  Resistant To Heat



RICH SILK



Welcome the latest avatar
of opulence



Every place has a story to tell – the story of supremacy and delicacy. With our master team and superior quality of materials, we grant warmth to your space and add lustre to your life. With an extreme attention to detail, we deliver you a picture perfect tiling services just like professionals do.



RICH SILK

BRECCIA MARINO LATTE

1200X2400mm

2 Random

✂ 9mm Thickness



RICH SILK

BRECCIA MARINO NATURAL

1200X2400mm

2 Random

✂ 9mm Thickness





RICH SILK

BRECCIA MARINO ASH

1200X2400mm

1 Random

✂ 9mm Thickness



BRECCIA MARINO ASH
1200x2400mm

TECHNICAL SPECIFICATION OF OUR SLAB VITRIFIED TILE

TEST DISCRIPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	OUR VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm ²)	IS-13630-6	Min. 35N/mm ²	Min. 37N/mm ²
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As pr Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As pr Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As pr Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As pr Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As pr Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As pr Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As pr Mfg.	As pr Mfg.

PACKING DETAIL


No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9.0mm	1 pcs.	2.88 sq. mtr.	60 Kgs.
02	800x1600mm	9.0mm	2 pcs.	2.56 sq. mtr.	54 Kgs.
03	1200x1200mm	9.0mm	2 pcs.	2.88 sq. mtr.	60 Kgs.

ONLY SLAB LAYING INSTRUCTIONS


- Plaster the surface of the floor to be tiled smooth and complete the plastering and curing at least two hour prior to tiling.
- Before fixing **ONLY SLAB**, lay them out in desired pattern and make sure that give acceptable blend of colour. Please not that certain amount of shade variation is inherent in the manufacture of a fully vitrified ceramic tile. THE COMPANY WALL BEAR NO LIABILITY AFTER THE TILES ARE FIXED.
- For fixing **ONLY SLAB**, we recommend the use of the tile fixing adhesive for best result. Also follow the tile fixing instructions provided along with adhesives.
- For fixing **ONLY SLAB** on the floor using sand and cement follow the instructions given below:
 - Use cement and sand mortar in the ratio of 1:4 add some water to create a consistent paste.
 - Once the mixing has been completed do not add any further water to create a consistent paste.
 - Apply a 20-30mm layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and dull bedding. press gently for even adherence at the back of the tile. DO NOT USE IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILES.
- For fixing **ONLY SLAB** on dado, we recommend the use of adhesive. Please follow the manufacture's instructions for the same. We do not recommend the use of sand and cement for fixing on dado.
- Mark and layout the tiles from the center of the area to be tile so that cut tiles. If any will be on the outer edges to words the walls.
- The work size which we try to maintain for better technical performance is 1200x2400mm, 800x2400mm,900x1800mm, 800x1600mm, & 1200x1200mm on average. it is advisable to maintain a gap of 1mm to 3mm between every two tile to allow for possible expansion as per BIS/EN tolerance norms. This would give the coverage area as mentioned in the cartoon.
- Complete the tile laying process by pressing the center of the **ONLY SLAB** firmly into place along the walls/floors.
- Allow 3-4 days for bed curing. After this period fill the joints with grouts.
- Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tile with a soft and dry cloth for a clean surface. The tile can also be cleaned by mild acid(however hydrofluoric acid and its derivatives should not be used)
- Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing instructions.

TILING POSSIBILITIES

800x1600mm



1200x1200mm



THANK YOU

