


**LET ECSTASY REVOLVE**  
around your space



**Make seamless**  
your signature



**Add gloss to your tile**

Tiles that are usually bigger and larger in size , and apt for larger surfaces. They are most preferred flooring for bedrooms or living areas as they give a grandeur effect to any surface!



# HIGH GLOSSY



Add gloss to your tile



Experience your personality through high glossy tiles at your place. Be it a restaurant, residential buildings or corporate complexes, we never compromise with the shine and quality and deliver more than you have asked for.



HIGH GLOSSY

ALASKA WHITE \*

800x1600mm | 3 Random | ✕ 9mm Thickness



HIGH GLOSSY

ALDO BEIGE

800x1600mm | 3 Random | ✕ 9mm Thickness

Also Available in 1200x1200mm



HIGH GLOSSY

ALEX CALACATTA

800x1600mm | 3 Random | ✕ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm

\* Dark High Glossy Series



HIGH GLOSSY

ARISTONE CEROBÉ

800x1600mm | 4 Random | ✂ 9mm Thickness



HIGH GLOSSY

ARCTIC WHITE

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

DOLCE BROWN

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

ATLANTIC WHITE

800x1600mm | 2 Face | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm




HIGH GLOSSY

BERLÍM BEIGE

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

BETEL WHITE

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm





HIGH GLOSSY

BETHANY BLUE

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm



HIGH GLOSSY

BIANCO DOLIMITI

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x1200mm



HIGH GLOSSY

BIANCO LASA

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm



HIGH GLOSSY

BLUE AGATE ONYX

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

GOLD AGATE ONYX

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

CREMA MARFIL

800x1600mm | 2 Random | ✂ 9mm Thickness



HIGH GLOSSY

COVELANO LASA

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

BRECCIA GREY

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

ARMANI BEIGE

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

ARMANI GOLD \*

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

ARMANI GREY

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

ARMANI GRISS \*

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm

\* Dark High Glossy Series

Let ecstasy revolve around  
your space



Resistant  
to UV



Low Water  
Absorption



Resistant to  
Chemical



Resistant to  
Impact Force




Resistant to  
Scratch



High Physical  
Strength



Resistant  
To Heat



ARMANI GOLD  
800x1600mm



HIGH GLOSSY

**BRECCIA LAVA** \*

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

**BRECCIA MAX**

800x1600mm | 2 Random | ✂ 9mm Thickness



HIGH GLOSSY

**BRECCIA BEIGE**

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm

\* Dark High Glossy Series



HIGH GLOSSY

**BRECCIA AURORA BIANCO**

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

**BRECCIA AURORA BEIGE**

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

**BRECCIA CAPRAIA** \*

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm

\* Dark High Glossy Series





HIGH GLOSSY

DOMINO MARFIL

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

DEVCI CREMA

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

DEVCI GREY \*

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm

\* Dark High Glossy Series



HIGH GLOSSY

EXOTIC WHITE \*

800x1600mm | 4 Random | ✂ 9mm Thickness



HIGH GLOSSY

FUME EMPERADOR LATTE

800x1600mm | 3 Random | ✂ 9mm Thickness





HIGH GLOSSY

FUME EMPERADOR PEANUT

800x1600mm | 3 Random | ✂ 9mm Thickness

\* Dark High Glossy Series



HIGH GLOSSY

FOREST BROWN \*

800x1600mm | 3 Random | ✂ 9mm Thickness


Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

BOTTICINO CLASSIC

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

HELIX WHITE

800x1600mm | 2 Random | ✂ 9mm Thickness

\* Dark High Glossy Series



HIGH GLOSSY

DYNA STREAK

800x1600mm | 2 Random | ✂ 9mm Thickness



HIGH GLOSSY

DYNA CANARY

800x1600mm | 2 Random | ✂ 9mm Thickness



HIGH GLOSSY

IMPACT SATVARIO \*

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm

\* Dark High Glossy Series

Create a trend of supreme tranquility

-  Resistant to UV
-  Low Water Absorption
-  Resistant to Chemical
-  Resistant to Impact Force
-  Resistant to Scratch
-  High Physical Strength
-  Resistant To Heat



**DYNA STREAK**  
800x1600mm



HIGH GLOSSY

LEVANTO NATURAL \*

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

LEVANTO BROWN \*

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

LEVANTO LIGHT

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm


\* Dark High Glossy Series



HIGH GLOSSY

MARBELLA WHITE

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

MARINA PEDRA \*

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x1200mm





HIGH GLOSSY

MADERA FOREST \*

800x1600mm | 3 Random | ✂ 9mm Thickness

\* Dark High Glossy Series



HIGH GLOSSY

NERO MARQUINA \*

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm



HIGH GLOSSY

PIETRA LATTE

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

PIETRA SEPIA

800x1600mm | 3 Random | ✂ 9mm Thickness


\* Dark High Glossy Series



HIGH GLOSSY

PARISO GREY

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

PORTORO GOLD \*

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm




HIGH GLOSSY

REGAL NATURAL

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm


\* Dark High Glossy Series



HIGH GLOSSY

RIGATO WHITE

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

ROMANTIC SATVARIYO


800x1600mm | 2 Random | ✂ 9mm Thickness



HIGH GLOSSY

ROCKGLOSS BLUE \*


800x1600mm | 2 Random | ✂ 9mm Thickness



HIGH GLOSSY

ROSALIA BROWN \*


800x1600mm | 4 Random | ✂ 9mm Thickness



HIGH GLOSSY

ROCKGLOSS COPPER \*

800x1600mm | 2 Random | ✂ 9mm Thickness



HIGH GLOSSY

ROSALIA WHITE

800x1600mm | 4 Random | ✂ 9mm Thickness

\* Dark High Glossy Series


\* Dark High Glossy Series

Leave imprints of eternal urbanity

-  Resistant to UV
-  Low Water Absorption
-  Resistant to Chemical
-  Resistant to Impact Force
-  Resistant to Scratch
-  High Physical Strength
-  Resistant To Heat



**ROMANTIC SATVARIYO**  
800x1600mm




HIGH GLOSSY

SAHARA BLACK \*

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

SATATURIO PEARL

800x1600mm | 6 Random | ✂ 9mm Thickness



HIGH GLOSSY

STATUARIO NATURAL

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm

\* Dark High Glossy Series



HIGH GLOSSY

STATUARIO RIO

800x1600mm | 3 Random | ✂ 9mm Thickness



HIGH GLOSSY

STOINIS NATURAL \*

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x1200mm



HIGH GLOSSY

SUMMER WHITE

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm

\* Dark High Glossy Series





HIGH GLOSSY

SONATA BRONZE \*

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm





HIGH GLOSSY

SONATA WHITE

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm



HIGH GLOSSY

THUNDER BLACK \*

800x1600mm | 3 Random | ✂ 9mm Thickness

\* Dark High Glossy Series



HIGH GLOSSY

TITANIUM NATURAL \*

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

TITANIUM BROWN \*

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

TRIESTA NOIR \*

800x1600mm | 5 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm

\* Dark High Glossy Series



HIGH GLOSSY

**VICTORIA BEIGE**

800x1600mm | 4 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm



HIGH GLOSSY

**DYNA SUPREME**

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm | 1200x1200mm



HIGH GLOSSY

**WILLIAM BIANCO**

800x1600mm | 2 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm



HIGH GLOSSY

**TURKE LANA** \*

800x1600mm | 2 Random | ✂ 9mm Thickness


Also Available in 1200x2400mm | 1200x1200mm

\* Dark High Glossy Series




**TURKE LANA**  
800x1600mm

# MATT



**Holds a better traction**  
with matt tiles

Matt tiles have a non slip reputation in high traffic spaces that are in frequent contact with water. Spaces such as hallways, kitchens and bathrooms are ideally perfect for matt tiles. Conceal smudges, and stains and refine your space with the incredible matt finish.



MATT

ATLANTIC WHITE


800x1600mm | 3 Random | ✂ 9mm Thickness



MATT

HELIX WHITE



800x1600mm | 2 Random | ✂ 9mm Thickness



MATT

NORWAY GREY



800x1600mm | 5 Random | ✂ 9mm Thickness



MATT

NORWAY IVORY

800x1600mm | 5 Random | ✂ 9mm Thickness



MATT

NORWAY SEAL

800x1600mm | 5 Random | ✂ 9mm Thickness



NORWAY SEAL



NORWAY IVORY NEW  
800x1600mm


# CARVING



Spark your home with  
Carving tiles



Let your home sparkle and shine with marvelous floor tiles.  
Decorate the space with Carving Vitrified & porcelain tiles to give an  
elegant look. So contact us now to welcome expertise to your home.



CARVING

AMMONITE BIANCO

800x1600mm | 3 Random | ✕ 9mm Thickness

Also Available in 1200x1200mm



CARVING

AMMONITE NERO

800x1600mm | 3 Random | ✕ 9mm Thickness

Also Available in 1200x1200mm



CARVING

GOLDUST BROWN

800x1600mm | 2 Random | ✕ 9mm Thickness



CARVING

**BURBERRY BEIGE**

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm



CARVING

**BURBERRY BROWN**

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm



CARVING

**BURBERRY GREY**

800x1600mm | 3 Random | ✂ 9mm Thickness

Also Available in 1200x2400mm



CARVING

**LARCH WOOD BEIGE**

800x1600mm | 4 Random | ✂ 9mm Thickness



CARVING

**LEAF BEIGE LT**

800x1600mm | 2 Random | ✂ 9mm Thickness



CARVING

**LEAF DECOR**

800x1600mm | 2 Random | ✂ 9mm Thickness



CARVING

OCEAN GOLDEN

800x1600mm | 3 Random | ✂ 9mm Thickness



CARVING

STONEAGE COPPER

800x1600mm | 2 Random | ✂ 9mm Thickness



CARVING

STUCCO BEIGE

800x1600mm | 3 Random | ✂ 9mm Thickness



CARVING

TERRAZZO

800x1600mm | 2 Random | ✂ 9mm Thickness

Also Available in 1200x1200mm



TERRAZZO  
800x1600mm

## TECHNICAL SPECIFICATION OF OUR SLAB VITRIFIED TILE

TEST DISCRPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	OUR VALUE
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rapture(N/mm <sup>2</sup> )	IS-13630-6	Min. 35N/mm <sup>2</sup>	Min. 37N/mm <sup>2</sup>
Breaking Strength(N)	IS-13630-6	<7.5mm-700N ≥7.5mm-1300N	≤7.5mm-1000N ≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As pr Mfg.	Class II Min.
Co-Efficient of Linear Thermal Expansion	IS-13630-4	As pr Mfg.	6.5x10 <sup>-6</sup> Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As pr Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As pr Mfg.	0.55 Min
Frost Resistance	IS-13630-10	As pr Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As pr Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As pr Mfg.	As pr Mfg.

## PACKING DETAIL


No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	1200x2400mm	9.0mm	1 pcs.	2.88 sq. mtr.	60 Kgs.
02	800x1600mm	9.0mm	2 pcs.	2.56 sq. mtr.	54 Kgs.
03	1200x1200mm	9.0mm	2 pcs.	2.88 sq. mtr.	60 Kgs.

## ONLY SLAB LAYING INSTRUCTIONS


- Plaster the surface of the floor to be tiled smooth and complete the plastering and curing at least two hour prior to tiling.
- Before fixing **ONLY SLAB**, lay them out in desired pattern and make sure that give acceptable blend of colour. Please not that certain amount of shade variation is inherent in the manufacture of a fully vitrified ceramic tile. THE COMPANY WALL BEAR NO LIABILITY AFTER THE TILES ARE FIXED.
- For fixing **ONLY SLAB**, we recommend the use of the tile fixing adhesive for best result. Also follow the tile fixing instructions provided along with adhesives.
- For fixing **ONLY SLAB** on the floor using sand and cement follow the instructions given below:
  - Use cement and sand mortar in the ratio of 1:4 add some water to create a consistent paste.
  - Once the mixing has been completed do not add any further water to create a consistent paste.
  - Apply a 20-30mm layer of bedding material over an area of 1 square meter at a time on the surface of the area. Apply a fine slurry to the back of the tile to ensure proper and dull bedding. press gently for even adherence at the back of the tile. DO NOT USE IRON HAMMER OR SOME HEAVY MATERIAL TO PRESS THE TILES.
- For fixing **ONLY SLAB** on dado, we recommend the use of adhesive. Please follow the manufacture's instructions for the same. We do not recommend the use of sand and cement for fixing on dado.
- Mark and layout the tiles from the center of the area to be tile so that cut tiles. If any will be on the outer edges to words the walls.
- The work size which we try to maintain for better technical performance is 1200x2400mm, 800x2400mm,900x1800mm, 800x1600mm, & 1200x1200mm on average. it is advisable to maintain a gap of 1mm to 3mm between every two tile to allow for possible expansion as per BIS/EN tolerance norms. This would give the coverage area as mentioned in the cartoon.
- Complete the tile laying process by pressing the center of the **ONLY SLAB** firmly into place along the walls/floors.
- Allow 3-4 days for bed curing. After this period fill the joints with grouts.
- Fifteen minutes after finishing the grouting process, wipe off excess grout with a damp sponge and polish the tile with a soft and dry cloth for a clean surface. The tile can also be cleaned by mild acid(however hydrofluoric acid and its derivatives should not be used)
- Please note that the company does not accept any liability in case of problems arising out of non-adherence to these fixing instructions.

## TILING POSSIBILITIES

### 800x1600mm



### 1200x1200mm





**THANK YOU**

